BOTHALIA

VOLUME 34

INDEX



ISSN 0006 8241



BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

Volume 34

Scientific Editor: G. Germishuizen Technical Editor: B.A. Momberg



2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001



CONTENTS

 Page
 Date

 No. 1
 1-76
 May 2004

 No. 2
 77-184
 Oct. 2004

CHESSELET, P., VAN WYK, A.E. & SMITH, G.F. A new tribe and adjustments to infrafamilial classification	
(Mesembryanthemaceae)	17
EDWARDS, T.J. Type specimens of Selago, Jamesbrittenia and Sutera at Natal University Herbarium (NU)	47
(Scrophulariaceae)	27
GOLDBLATT, P. & MANNING, J.C. Taxonomic notes and new species of the southern African genus <i>Babiana</i>	
(Iridaceae: Crocoideae) 87	
HERMAN, P.P.J. & KOEKEMOER, M. Dicoma picta, the correct name for Cypselodontia eckloniana (Aster-	
aceae)	106
HURTER, P.J.H. & VAN WYK, A.E. A new species of <i>Acacia</i> (Mimosoideae) from Mpumalanga, South Africa	
	42
HURTER, P.J.H. & VAN WYK, A.E. A new species of <i>Acacia</i> (Mimosoideae) from the province of Limpopo,	42
South A fried (February),	100
South Africa (Fabaceae)	109
MANNING, J.C. Ornithogalum laikipiense, a synonym of Drimia macrocarpa (Hyacinthaceae)	112
MANNING, J.C. & GOLDBLATT, P. Two new species of Romulea (Iridaceae: Crocoideae) from the western	
Karoo, Northern Cape and notes on infrageneric classification and range extensions	17
MANNING, J.C. & GOLDBLATT, P. A new species of <i>Thereianthus</i> (Crocoideae) from Western Cape, South	
Africa, nomenclatural notes and a key to the genus (Iridaceae)	103
MOMPEPC P Compiler National Potential Institute South Africa administration and research steff 21 March	103
MOMBERG, B. Compiler. National Botanical Institute South Africa: administration and research staff 31 March	1
2004, publications 1 April 2003–31 March 2004	155
NELSON, E.C. & OLIVER, E.G.H. Cape heaths in European gardens: the early history of South African Erica	
species in cultivation, their deliberate hybridization and the orthographic bedlam	127
OLIVER, E.G.H. Nomenclatural changes in <i>Erica</i> (Ericaceae)	38
OLIVER, E.G.H. & OLIVER, I.M. Two new species of Erica (Ericaceae); one from Western Cape and one	
from KwaZulu-Natal, South Africa	11
PEROLD, S.M. Studies in the genus <i>Riccia</i> (Marchantiales) from southern Africa. 26. A new species in section	11
	22
Pilifer, Riccia radiata, is described	23
PEROLD, S.M. Studies in the genus <i>Riccia</i> (Marchantiales) from southern Africa. 27. <i>Riccia lanceolata</i> and	
R. radicosa now also locally reported	97
ROUX, J.P. Dryopteris filipaleata (Pteropsida: Dryopteridaceae), a new species from tropical East Africa (Pteri-	
dophyta)	27
ROUX, J.P. <i>Dryopteris gorgonea</i> (Pteropsida: Dryopteridaceae), a new species from the Cape Verde Islands	
(Pteridophyta)	32
ROUX, J.P. A new combination in <i>Lastreopsis</i> (Tectariaceae) from Madagascar (Pteridophyta)	108
ROUX, J.P. A new commination in <i>Lastreopsis</i> (rectariaceae) from Madagascai (richdophyta)	100
SIEBEN, E.J.J., BOUCHER, C. & MUCINA, L. Vegetation of high-altitude fens and restio marshlands of the	
Hottentots Holland Mountains, Western Cape, South Africa	141
SIEBERT, S.J., FISH, L., UIRAS, M.M. & IZIDINE, S.A. Grass assemblages and diversity of conservation	
areas on the coastal plain south of Maputo Bay, Mozambique	61
SMITH, G.F., VAN WYK, A.E., STEYN, E.M.A. & RETIEF, E. A first record of <i>Echium simplex</i> in South Africa	
(Boraginaceae)	44
STEYN, E.M.A., SMITH, G.F. & VAN WYK, A.E. Functional and taxonomic significance of seed structure in	
Salix mucronata (Salicaceae)	53
Saltx mucronata (Salteaceae)	33
TILNEY, P.M. & VAN WYK, A.E. Extrafloral nectaries in Combretaceae: morphology, anatomy and taxonomic	115
significance	115
TURNER, R.C. & OLIVER, E.G.H. A new species of indehiscent-fruited <i>Erica</i> from the central Kouebokke-	
veld, Western Cape, South Africa (Ericaceae)	39
VAN JAARSVELD, E.L. NORDENSTAM, B. & VAN WYK, A.E. Adromischus schuldtianus subsp. brand-	
bergensis, a new subspecies and a checklist of the succulent flora of the Brandberg, Namibia (Crassula-	
ceae)	35
VAN JAARSVELD, E.J. & VAN WYK, A.E. <i>Plectranthus mzimvubuensis</i> , a new species from Eastern Cape,	0.0
VAIN JAAKS VELD, E.J. & VAIN WIN, A.E. Pieciraninus mizinivuouensis, a new species nom Eastern Cape,	20
South Africa (Lamiaceae)	30
VORSTER, P. Obituary: Johannes Jacobus Adriaan van der Walt (1938–2003)	73
VORSTER P Typification of Encephalartos (Zamiaceae)	112
WHITEHOUSE, C.M. The genus <i>Cliffortia</i> (Rosaceae) in KwaZulu-Natal	1
WHITEHOUSE C M New species in the section Multinerviae of Cliffortia (Rosaceae)	77



INDEX

Acacia	Cliffortia L., 1, 77
ebutsiniorum <i>P.J.H.Hurter</i> , 42	acanthophylla C.M.Whitehouse, 79
sekhukhuniensis P.J.H.Hurter, 109	browniana auctt. non Burtt Davy, 3, 4
Adromischus schuldtianus (Poelln.) Poelln. subsp. brand-	browniana Burtt Davy, 3
bergensis B.Nord. & Van Jaarsv., 35	
Africa	ceresana C.M.Whitehouse, 80
East, 27	denticulata (Weim.) C.M.Whitehouse, 81
South, 11, 17, 30, 39, 42, 44, 103, 109, 141	dracomontana C.M.Whitehouse, 3
	dregeana auct. non C.Presl, 79, 84
southern, 23, 87, 97	dregeana C.Presl var. meyeriana auct. non (C.Presl)
anatomy, 53, 115	Weim., 79
anemochory, 53	erectisepala Weim., 8
Antholyza hypogaea (Burch.) Klatt, 92	filicauloides Weim., 5
area of endemism, 1	galpinii auct. non N.E.Br., 6
Asteraceae, 106	galpinii N.E.Br., 8
Babiana Ker Gawl., 87	grandifolia Eckl. & Zeyh.
bainesii Baker, 92	var. denticulata Weim., 81
cuneata J.C.Manning & Goldblatt, 89	var. recurvata Weim., 82
cuneifolia Baker, 88	ilicifolia auct. non L.: Weim., 80
disticha Ker Gawl., 95	ilicifolia L.
erectifolia G.J.Lewis, 94	var. reniformis Weim., 77
falcata G.J.Lewis, 92	var. schlechteri Weim., 78
flabellifolia Harv. ex Klatt, 88	intermedia auct. non Eckl. & Zeyh., 81
flabellifolia sensu G.J.Lewis, 90	juniperina auct. non L.f., 6
flavida G.J.Lewis, 92	linearifolia Eckl. & Zeyh., 5
fragrans (Jacq.) Goldblatt & J.C.Manning, 95	nitidula (Engl.) R.E.Fr. & T.C.E.Fr. subsp. pilosa Weim., 5
hypogaea Burch., 92	oligodonta C.M.Whitehouse, 82
[hypogea] var. ensifolia G.J.Lewis, 93	paucistaminea Weim., 6
[hypogea] var. longituba G.J.Lewis, 93	var. australis <i>C.M.Whitehouse</i> , 7
	var. paucistaminea, 7
longiflora Goldblatt & J.C.Manning, 94	
plicata Ker Gawl., 95	prionota C.M.Whitehouse, 83
praemorsa Goldblatt & J.C.Manning, 90	ramosissima Schltr., 8
regia (G.J.Lewis) Goldblatt & J.C.Manning, 94	recurvata (Weim.) C.M.Whitehouse, 82
schlechteri Baker, 92	reniformis (Weim.) C.M.Whitehouse, 77
stricta (Aiton) Ker Gawl., 94	repens Schltr., 8
var. erectifolia (G.J.Lewis) G.J.Lewis, 93, 94	scandens C.M.Whitehouse, 84
var. grandiflora G.J.Lewis, 93, 94	schlechteri (Weim.) C.M.Whitehouse, 78
var. regia G.J.Lewis, 93, 94	spathulata auctt. non Weim., 3
var. stricta, 93, 94	spathulata Weim., 4
truncata G.J.Lewis, 88	comb. nov., 77, 78, 81, 82, 94, 95, 108
biogeography, 87	Combretaceae, 115
Boraginaceae, 44	correct name, 106
botanical history, 127	Crassulaceae, 35
Boucher, C., 141	Crocoideae, subfamily, Iridaceae, 87, 103
Brandberg, Namibia, 35	Cypselodontia eckloniana DC., 107
canonical correspondence analysis, 141	Dicoma
Cape heaths, 127	picta (Thunb.) Druce, 107
Cape Verde Islands, 32	radiata Less., 108
Cape Wetlands Fynbos, 141	distribution records, 21
•	dorsal epithelium, 23
Cape	Drakensberg, 1
Eastern, 30	Drimia macrocarpa <i>Stedje</i> , 112
Northern, 17	Drosanthemeae Chesselet, Gideon F.Sm. & A.E.van Wyk,
Western, 11, 39, 103, 141	tribe, Mesembryanthemaceae, 49
checklist, 37, 39	Dryopteridaceae (Pteropsida), 27, 32
grasses, 70	
Chesselet, P., Van Wyk, A.E. & Smith, G.F. A new tribe and	Dryopteris Give lette I P Pour 28
adjustments to infrafamilial classification (Mesem-	filipaleata J.P.Roux, 28
bryanthemaceae), 47	gorgonea J.P.Roux, 33

Laguncularia C.F.Gaertn., 115 Dryopteris (cont.) Lamiaceae, 30 perrieriana C.Chr., 108 Lastreopsis perrieriana (C.Chr.) J.P.Roux, 108 dunes, 61 Leyssera picta Thunb., 107 Eastern Cape, 30 Limpopo, 109 Echium simplex DC., 44, 46 Lumnitzera Willd., 115 ecology, 61 Edwards, T.J. Type specimens of Selago, Jamesbrittenia Madagascar, 108 and Sutera at Natal University Herbarium (NU) Manning, J.C., 87 Manning, J.C. Ornithogalum laikipiense, a synonym of (Scrophulariaceae), 27 Drimia macrocarpa (Hyacinthaceae), 112 Encephalartos Lehm., 112 Manning, J.C. & Goldblatt, P. A new species of Thereian-Ericaceae, 11, 38, 39 thus (Crocoideae) from Western Cape, South Africa, Erica L., 11 nomenclatural notes and a key to the genus (Iridajananthus E.G.H.Oliv. & I.M.Oliv., 11 ceae), 103 pilaarkopensis H.A.Baker, 38 Manning, J.C. & Goldblatt, P. Two new species of Romupillarkopensis H.A.Baker, 38 lea (Iridaceae: Crocoideae) from the western Karoo, psittacina E.G.H.Oliv, & I.M.Oliv., 13 Northern Cape and notes on infrageneric classifisalicina E.G.H.Oliv., 38 cation and range extensions, 17 tragomontana R.C.Turner, 39 extrafloral nectary, 115 Manuleae, tribe, Scrophulariaceae, 27 Fabaceae, 42, 109 Maputaland, 61 Marchantiales, 23, 97 Fish, L., 61 Meiostemon Exell & Stace, 115 Flacourtiaceae, 53 forest, 61 Mesembryanthemaceae, 47 garden history, 127 Mimosoideae, subfamily, Fabaceae, 42, 109 Gladiolus Momberg, B.A. Compiler: National Botanical Institute, fragrans Jacq., 95 South Africa: administration and research staff 31 spicatus L., 105 March 2004, publications 1 April 2003-31 March strictus Aiton, 94 2004, 155 Goldblatt, P., 17, 103 morphology, 115 Goldblatt, P. & Manning, J.C. Taxonomic notes and new Mozambique, 61 species of the southern African genus Babiana Mpumalanga, 42 (Iridaceae: Crocoideae), 87 Mucina, L., 141 grasses, 61 Multinerviae DC., section, Rosaceae, 77 grassland, 61 Namaqualand, 21 guide for authors to Bothalia, 175 Namibia, 35 Herman, P.P.J. & Koekemoer, M. Dicoma picta, the correct Nelson, E.C. & Oliver, E.G.H. Cape heaths in European name for Cypselodontia eckloniana (Asteraceae), gardens: the early history of South African Erica 106 species in cultivation, their deliberate hybridizahilar aril, 53 tion and the orthographic bedlam, 127 Hottentots Holland Mountains, Western Cape, 141 new Hurter, P.J.H. & Van Wyk, A.E. A new species of Acacia combinations, 77, 78, 81, 82, 94, 95, 108 (Mimosoideae) from Mpumalanga, South Africa name, 38 (Fabaceae), 42 record, 44 Hurter, P.J.H. & Van Wyk, A.E. A new species of Acacia species, 1, 3, 11, 13, 17, 19, 23, 27, 28, 30, 32, 33, 39, (Mimosoideae) from the province of Limpopo, 42, 44, 77, 79, 80, 82, 83, 84, 89, 90, 94, 103, 109 South Africa (Fabaceae), 109 statuses, 77, 78, 81, 82, 94 Hyacinthaceae, 112 subspecies, 35 hybrids, 127 tribe, 47 hydrochory, 53 variety, 7 infrafamilial classification, 47 nomenclatural changes, 38 infrageneric classification, 17 nomenclature, 127 Iridaceae, 17, 87, 103 nom. nov., 38 Izidine, S.A., 61 Nordenstam, B., 35 Jamesbrittenia multisecta Hilliard, 27 Northern Cape, 17 key obituary, 73 Cliffortia spp., 2 Oliver, E.G.H., 39, 127 Thereianthus spp., 106 Oliver, E.G.H. Nomenclatural changes in Erica (Erica-Koekemoer, M., 106 ceae), 38 Kouebokkeveld, Western Cape, 39 Oliver, E.G.H. & Oliver, I.M. Two new species of Erica KwaZulu-Natal, 1, 11 (Ericaceae); one from Western Cape and one from

KwaZulu-Natal, South Africa, 11 zuluensis Hilliard, 27 Oliver, I.M., 11 Sieben, E.J.J., Boucher, C. & Mucina, L. Vegetation of high-Ornithogalum laikipiense L.E.Newton, 112 altitude fens and restio marshlands of the Hotten-Perold, S.M. Studies in the genus Riccia (Marchantiales) tots Holland Mountains, Western Cape, South Africa, from southern Africa. 26. A new species in section Pilifer, Riccia radiata, is described, 23 Siebert, S.J., Fish, L., Uiras, M.M. & Izidine, S.A. Grass Perold, S.M. Studies in the genus Riccia (Marchantiales) assemblages and diversity of conservation areas on from southern Africa. 27. Riccia lanceolata and R. the coastal plain south of Maputo Bay, Mozamradicosa now also locally reported, 97 bique, 61 phytosociology, 141 Smith, G.F., 47, 53 Pilifer O.H.Volk, section, Ricciaceae, 23 Smith, G.F., Van Wyk, A.E., Steyn, E.M.A. & Retief, E. plant communities, 141 A first record of Echium simplex in South Africa Plectranthus mzimvubuensis Van Jaarsv., 30 plumed seed, 53 Poaceae, 61 southern Africa, 23, 87 Pteleopsis Engl., 115 species complexes, 77 Pteridophyta, 27, 32, 108 Pteropsida: Dryopteridaceae, 27, 32 publications by the staff, 164 sporangia, 23, 97 Quisqualis L., 115 spores, 23, 97 range extensions, 17, 21 staff list, 155 Retief, E., 44 rheophyte, 53 Steyn, E.M.A., 44 Riccia lanceolata Steph., 97 radiata Perold, 23 radicosa Pearson, 98 subfamily Romulea collina J.C.Manning & Goldblatt, 17 eburnea J.C.Manning & Goldblatt, 19 subsp. nov., 35 maculata Manning & Goldblatt, 21 multisulcata M.P.de Vos., 21 tabularis Eckl. ex Bég, 21 syntaxonomy, 141 Rosaceae, 1, 77 systematics, 87 Roux, J.P. Dryopteris filipaleata (Pteropsida: Dryopteridaceae), a new species from tropical East Africa (Pteridophyta), 27 Tectariaceae, 108 Terminalia L., 115 Roux, J.P. Dryopteris gorgonea (Pteropsida: Dryopteridaceae), a new species from the Cape Verde thallus, 23, 97 Thereianthus Islands (Pteridophyta), 32 Roux, J.P. A new combination in Lastreopsis (Tectariaceae) from Madagascar (Pteridophyta), 108 Ruschieae Schwantes, tribe, Mesembryanthemaceae, 49 Salicaceae, 53 Salix mucronata Thunb., 53 Scrophulariaceae, 27 section Multinerviae DC., 77 tribe Pilifer O.H.Volk, 23 seed adaptations, 53 Selagineae, tribe, Scrophulariaceae,27 Selago dolosa Hilliard, 27 trib. nov., 49 florifera Hilliard, 27 tropical East Africa, 27 griquana Hilliard, 27 hyssopifolia E.Mey. subsp. retrotricha Hilliard, 27 inconstans Hilliard, 27 retropilosa Hilliard, 27 type specimens, 27 tarachodes Hilliard, 27 variicalyx Hilliard, 27

(Boraginaceae), 44 South Africa, 11, 17, 30, 39, 42, 44, 103, 109, 141 sp. nov., 1, 3, 11, 13, 17, 19, 23, 28, 30, 33, 39, 42, 44, 77, 79, 80, 82, 83, 84, 89, 90, 94, 103, 109 stat. nov., 77, 78, 81, 82, 94 Steyn, E.M.A., Smith, G.F. & Van Wyk, A.E. Functional and taxonomic significance of seed structure in Salix mucronata (Salicaceae), 53 Crocoideae, Iridaceae, 17, 87, 103 Mimosoideae, Fabaceae, 42, 109 succulent flora of the Brandberg, 35, 37 Sutera glandulifera Hilliard, 27 taxonomy, 1, 11, 17, 23, 30, 35, 38, 39, 42, 44, 47, 53, 77, 87, 97, 103, 106, 108, 109, 112 lapeyrousioides var. elatior G.J.Lewis, 106 minutus (Klatt) G.J.Lewis, 105 montanus J.C.Manning & Goldblatt, 103 spicatus (L.) G.J.Lewis, 105 var. linearifolius G.J.Lewis, 105 Tilney, P.M. & Van Wyk, A.E. Extrafloral nectaries in Combretaceae: morphology, anatomy and taxonomic significance, 115 Drosanthemeae, Mesembryanthemaceae, 49 Manuleae, Scrophulariaceae, 27 Ruschieae, Mesembryanthemaceae, 49 Selagineae, Scrophulariaceae, 27 Turner, R.C. & Oliver, E.G.H. A new species of indehiscent-fruited Erica from the central Kouebokkeveld, Western Cape, South Africa (Ericaceae), 39 typification, 112

Uiras, M.M., 61

Van der Walt, J.J.A. (1938-2003), 73

Van Jaarsveld, E.J. & Van Wyk, A.E. *Plectranthus mzim-vubuensis*, a new species from Eastern Cape, South Africa (Lamiaceae), 30

Van Jaarsveld, E.J., Nordenstam, B. & Van Wyk, A.E. *Adromischus schuldtianus* subsp. *brandbergensis*, a new subspecies and a checklist of the succulent flora of the Brandberg, Namibia (Crassulaceae), 35

Van Wyk, A.E., 30, 35, 42, 44, 47, 53, 109, 115 var. nov., 7

Vorster, P. Obituary: Johannes Jacobus Adriaan Van der Walt (1938–2003), 73

Vorster, P. Typification of *Encephalartos* (Zamiaceae), 112 Western Cape, 11, 39, 103, 141

Whitehouse, C.M. The genus *Cliffortia* (Rosaceae) in Kwa-Zulu-Natal, 1

Whitehouse, C.M. New species in the section *Multiner-viae* of *Cliffortia* (Rosaceae), 77

woodland, 61

Zamiaceae, 112



